
SAN JAMAR IN-COUNTER PRODUCT SPECIFICATION INFORMATION

EZ-Fit® Cup Dispensers



SUGGESTED SPECIFICATION:


Counter mount type cup dispenser. High impact plastic construction. Flexible gasket type dispensing utilizing a hexagon shaped gasket. Units to have cup holder, spring, and removable bottom, without use of tools for cleaning. Must be NSF listed. To be manufactured by San Jamar, Elkhorn, Wisconsin 53121 USA.

Construction: high-impact plastic

Item Number	Description	Cup Size	Rim Diameter	Tube Length	Case Pack	Case Cube	Case Weight	Counter Hole Diameter
C2210C	One-Size Fits-All Euro EZ-Fit®	6-24 oz	2 7/8"-3 11/16"	23 ¹ / ₂ "	1	0.54	3 lbs	
		(178-710 ml)	(73-94 mm)	(597 mm)			(1.4 kgs)	(2) (1)
C2210C18	One-Size Fits-All Euro EZ-Fit®	6-24 oz	2 7/8"-3 11/16"	18"	1	0.54	2.3 lbs	(1/2 dr. 1/2)
		(178-710 ml)	(73-94 mm)	(457 mm)			(1.04 kgs)	
C2410C	One-Size-Fits-All EZ-Fit®	8-46 oz	2 7/8"-4 3/4"	23 ¹ /2"	1	0.74	4 lbs	
		(236-1360 ml)	(73-121 mm)	(597 mm)			(1.81 kgs)	(2) (\$\delta\)
C2410C18	One-Size-Fits-All EZ-Fit®	8-46 oz	2 7/8"-4 3/4"	18"	1	0.74	3 lbs	(2) 1/2 (1/2)
		(236-1360 ml)	(73-121 mm)	(457 mm)			(1.4 kgs)	
C2510C	Large Deli Cup EZ-Fit®	32-64 oz	4 3/16"-5 1/4"	221/2"	1	1.0	4 lbs	
	· · ·	(950-1890 ml)	(106-133 mm)	(572 mm)			(1.81 kgs)	(S) SOUTH

Item		Cup	Rim	Tube	Case	Case	Case	Counter Hole
Number	Description	Size	Diameter	Length	Pack	Cube	Weight	Diameter
C2010C	Portion Cup EZ-Fit®	¹ / ₂ -2 ¹ / ₂ oz (15-70 ml)	1 ¹ /2"-2 ⁵ / ₁₆ " (38-59 mm)	16" (406 mm)	1	0.23	1.5 lbs (0.68 kgs)	3/2/16/17

Stainless Steel Adjustable Cup Dispensers



SUGGESTED SPECIFICATION:

Counter Mount-Type cup dispenser. Brushed steel tube: collar style adjustment: self supporting mounting bracket: removable from counter without the use of tools. Units to have anti-jam cup holder, spring and removable bottom, without use of tools for cleaning. To be manufactured by San Jamar, Elkhorn, Wisconsin 53121, USA

Construction: 26-gauge 304 stainless; 18" (457 mm) tube available upon request

Item		Cup	Rim	Tube	Case	Case	Case	Counter Hole
Number	Description	Size	Diameter	Length	Pack	Cube	Weight	Diameter
C3200CF	for foam cups	6-10 oz	2 7/32"-3 3/16"	231/2"	1	0.55	3 lbs	
C3200CV	vertical mount	(180-300 ml)	(58-80 mm)	(597 mm)			(1.4 kgs)	(106 mm)
C3200CH	horizontal mount							
C3400CF	for foam cups	12-24 oz	2 3/4"-3 7/8"	231/2"	1	0.55	3.3 lbs	
C3400CV	vertical mount	(350-710 ml)	(70-98 mm)	(597 mm)			(1.5 kgs)	(12) (15) (11)
C3400CH	horizontal mount							
C3500CF	for foam cups	32-46 oz	4"-4 ⁷ /8"	231/2"	1	0.74	4.8 lbs	
C3500CV	vertical mount	(950-1360 ml)	(101-123 mm)	(597 mm)			(2.2 kgs)	(53 / 15 mm)
C3500CH	horizontal mount							(Alas)

Item			Case	Case	Case Cou	unter Hole
Number	Description	Diameter	Pack	Cube	Weight Dia	meter
CA32KT	Adapter ring kit (convert to C3200)	63/4"	1	0.03	0.8 lbs	
		(171 mm)			(0.36 kgs)	2/2/20
CA34KT	Adapter ring kit (convert to C3400)	$6^{3}/4$ "	1	0.03	0.8 lbs	145mm)
		(171 mm)			(0.36 kgs)	

FrontLine™ Soft-Touch™ Pump

SUGGESTED SPECIFICATION:

Pump to be constructed of high impact plastic in BLACK/METAL FINISH with contoured lever style handle. Pump body is to be fully disassembled without use of tools for cleaning and NSF listed for clean-in-place. Maximum stroke yields 1 ounce with gauging collars supplied to reduce yield in 1/4 oz. increments. To be manufactured by San Jamar, Elkhorn, Wisconsin 53121 USA.



Item		Case	Case	Case
Number	Description	Pack	Cube	Weight
P4000	Soft-Touch™ Pump	1	0.17	1.4 lbs
	metal finish			(0.64 kgs)
P4000BK	Soft-Touch™ Pump	1	0.17	1.4 lbs
	black			(0.64 kgs)

Mounting Dimensions

COUNTER HOLE DIMENSIONS



Mounting Plate Thickness:

1/32" (0.79 mm) minimum; 3/32" (2.36 mm) maximum Minimum clearance diameter for tightening locknut: 3¹/₄" (82.55 mm)


NOTE: call for complete specifications on mounting the Soft-Touch™ Pump in custom applications.

FrontLine™ Universal In-Counter Dispensing Systems



SUGGESTED SPECIFICATION:

Unit to contain Soft-Touch pump (listed above), stainless steel lid and black molded plastic vessel. Unit cover to contain tamper- resistant spring latch without threads. To include connector for 1.5 gallon Cryovac condiment pouch. To be manufactured by San Jamar, Elkhorn, Wisconsin 53121 USA.



Item Number	Center Includes	Dimensions	Case Pack	Case Cube	Case Weight
P4100	(1 ea) universal condiment dispenser with metal finish pump, tamper resistant lid, liner, Cryovac® bag adapter and plug, dip tube	12"h x $7^1/2$ "w x $9^1/2$ "d - container without pump (305h x 191w x 241d mm) $9^3/4$ "h x $7^1/2$ "w x $9^1/2$ "d - above counter with pump (248h x 191w x 241d mm)	1	0.77	4.5 lbs (2.04 kgs)
P4100BK	(1 ea) universal condiment dispenser with black pump, tamper resistant lid, liner, Cryovac® bag adapter and plug, dip tube	12"h x $7^1/2$ "w x $9^1/2$ "d - container without pump (305h x 191w x 241d mm) $9^3/4$ "h x $7^1/2$ "w x $9^1/2$ "d - above counter with pump (248h x 191w x 241d mm)	1	0.77	4.5 lbs (2.04 kgs)
P4120	(1 ea) P4100 universal in-counter condiment dispenser & C2010C EZ-Fit® portion cup dispenser	P4100 universal in-counter system: (see dimensions above) C2010C portion cup dispenser: (see dimensions on front page)	1	1.55	7.4 lbs (3.36 kgs)
P4120BK	(1 ea) P4100BK universal in-counter condiment dispenser & C2010C EZ-Fit® portion cup dispenser	P4100BK universal in-counter system: (see dimensions above) C2010C portion cup dispenser: (see dimensions on front page)	1	1.55	7.4 lbs (3.36 kgs)

FrontLine™ 7 Quart Round Cover and Pump Systems



SUGGESTED SPECIFICATION:

Unit to contain Soft-Touch pump (listed above) and stainless steel lid. Lid is designed to fit on standard 7 qt. round inset pan. Cover to contain tamper-resistant spring latch without threads. To be manufactured by San Jamar, Elkhorn, Wisconsin 53121 USA.







Item			Case	Case	Case
Number	Center Includes	Dimensions	Pack	Cube	Weight
P4710	metal finish pump and cover for 7 qt round inset;	$8^{1}/8$ "h x $9^{1}/2$ "diameter (including inset container)	1	0.24	2.6 lbs
	works best on containers with 9.45" (240mm) rim dia.	(206h x 241diameter mm)			(1.18 kgs)
P4710BK	black pump and cover for 7 qt round inset;	$8^{1}/_{8}$ "h x $9^{1}/_{2}$ "diameter (including inset container)	1	0.24	2.6 lbs
	works best on containers with 9.45" (240mm) rim dia.	(206h x 241diameter mm)			(1.18 kgs)

Napkin Dispensers

SUGGESTED SPECIFICATION:

Unit to have hidden self locking latch release on a hinged, pyramid shaped dispensing face. Construction shall be of a 22-gauge stainless steel box and an 18-gauge steel face with a finish of SC-SATIN CHROME/XC-CHROME/SS-STANLESS STEEL OR Construction shall be of a 22-gauge stainless steel box and an 18-gauge stainless steel framed, break-resistant plastic face with a color of TBK-TRANSPARENT BLACK PEARL/CL-CLEAR. Holes shall be provided to secure unit for mounting. To be manufactured by San Jamar, Elkhorn, Wisconsin 53121, USA






Item	Face				Case	Case	Case
Number	Description	Capacity	Napkin Type	Dimensions	Pack	Cube	Weight
H2000XC	chrome	500+	minifold	$19^{5}/s$ "h x 7"w x $5^{1}/2$ "d	1	0.88	8 lbs
H2000SS	stainless steel			(498h x 178w x 140d mm)			(3.6 kgs)
H2000SC	satin chrome						
H2000TBKSS	transparent black p	earl					
H2001XC	chrome	500+	fullfold	19 ⁵ / ₈ "h x 7"w x 5 ¹ / ₂ "d	1	0.88	8 lbs
H2001SS	stainless steel			(498h x 178w x 140d mm)			(3.6 kgs)
H2001SC	satin chrome						
H2001TBKSS	transparent black p	oearl					
H2001CLSS	clear						
H2002SC	satin chrome	500+	sidefold	19 ⁵ / ₈ "h x 7"w x 5 ¹ / ₂ "d	1	0.88	8 lbs
				(498h x 178w x 140d mm)			(3.6 kgs)
H2003CLSS	clear	500+	interfold	$19^{5}/s$ "h x 7"w x $5^{1}/2$ "d	1	0.88	8 lbs
				(498h x 178w x 140d mm)			(3.6 kgs)


Note: Clear face adaptable for future upgrades. 12" (305 mm) and 8" (203 mm) box lengths also available0.

In-Counter Chilled Condiment Tray

SUGGESTED SPECIFICATION:

Counter mount type condiment organizer. Unit to have stainless steel frame and black molded plastic liner. Liner to contain two 1/6 size pans, which are covered by a clear hinged lid. Lid to be self-closing. To be manufactured by San Jamar, Elkhorn, WI 53121, USA.





Item		Outside Trim	Case	Case	Case
Number	Center Includes	Dimensions	Pack	Cube	Weight
FP3132	(1 ea) stainless steel frame, hinged lid, liner;(2) 1/6 size pans	16 ¹ / ₈ "w x 10 ¹ / ₄ "d (410w x 260d mm)	1	0.97	4.1 lbs (1.9 kgs)

Trash Chute/Straw Dispenser



SUGGESTED SPECIFICATION:

Counter mount type trash chute/straw dispenser. Stainless steel construction. Self supporting mounting bracket. Removable from counter without use of tools. Units to have removable bottom, without use of tools for cleaning. To be manufactured by San Jamar, Elkhorn, Wisconsin 53121 USA.

Construction: 22-gauge 304 stainless


Item		Rim	Tube	Case	Case	Case	Counter Hole
Number	Description	Diameter	Length	Pack	Cube	Weight	Diameter
L320C	trash chute or convert for use as a straw dispenser	5³/s" (136mm)	6" (152 mm)	1	0.19	1.1 lbs (0.5 kgs)	(1) 15 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)

Check Racks



Slide Check Racks. Anodized aluminum construction. Glass marbles to withstand hot environments. Screw hole located in end caps to prevent loss of end caps. Screw hole position to allow mounting without blocking pass-through ability. To include stainless steel screw kit. To be manufactured by San Jamar, Elkhorn, Wisconsin 53121 USA.

Construction: Anodized Aluminum



Item			Case	Case	Case
Number	Description (Length)	Dimensions	Pack	Cube	Weight
CK6512A	12" (305mm) slide check rack	All check racks have a height of 2"(51mm)	6	0.08	2.8 lbs (1.3 kgs)
CK6518A	18" (457mm) slide check rack	and a depth of 3/4" (19mm)	6	0.16	4.2 lbs (1.9 kgs)
CK6524A	24" (610mm) slide check rack		6	0.16	5.5 lbs (2.5 kgs)
CK6530A	30" (762mm) slide check rack		6	0.19	6.9 lbs (3.1 kgs)
CK6536A	36" (915mm) slide check rack		6	0.23	8.3 lbs (3.8 kgs)
CK6544A	44" (1117mm) slide check rack		6	0.27	9.7 lbs (4.4 kgs)
CK6548A	48" (1220mm) slide check rack		6	0.30	11.0 lbs (5.0 kgs)
CK6560A	60" (1524mm) slide check rack		6	0.41	14.0 lbs (6.4 kgs)

Washroom Roll Towel Dispensers

For a complete line of San Jamar washroom dispensers, please see our catalog.

SUGGESTED SPECIFICATION:

Wall mount universal towel dispenser. Break-resistant plastic construction. Common key opens all units. Internal mechanisms are interchangeable without the use of tools. Jam resistant. Lever handle treated with Bio-Pruf® to inhibit bacteria growth. To be manufactured by San Jamar, Elkhorn, WI 53121 USA.

Construction: break-resistant plastic
Color Key: TBK - transparent black pearl

TBL - transparent arctic blue

WS - white sand



Item				Case	Case	Case
Number	Description	Capacity	Dimensions	Pack	Cube	Weight
T1490TBK	Smart System™ Touchless	(1) 8" (200mm) wide roll	15 ¹ / ₂ "h x 13"w x 9"d	1	1.67	7.1 lbs
T1490TBL	Roll Towel Dispenser	8 ¹ / ₂ " (215mm) diameter;	(394h x 330w x 229d mm)			(3.2 kgs)
T1490WS	w/Infinity® System	and (1) 4" (100mm) stub roll				
T1390TBK	Tear-N-Dry™ Touchless	(1) 8" (200mm) wide roll	15 ¹ / ₂ "h x 13"w x 9"d	1	1.67	7.1 lbs
T1390TBL	Roll Towel Dispenser	8 ¹ / ₂ " (215mm) diameter;	(394h x 330w x 229d mm)			(3.2 kgs)
T1390WS						
T1290TBK	Sawy® Lever	(1) 8" (200mm) wide roll	15 ¹ / ₂ "h x 13"w x 9"d	1	1.67	7.1 lbs
T1290TBL	Roll Towel Dispenser	8 ¹ / ₂ " (215mm) diameter;	(394h x 330w x 229d mm)			(3.2 kgs)
T1290WS	w/Infinity® System	and (1) 4" (100mm) stub roll				



555 Koopman Lane • Elkhorn, Wisconsin 53121 USA T: 800.248.9826/262.723.6133 • F: 262.723.4204 www.sanjamar.com • Email: sanjamar@sanjamar.com